

**Emergency power unit as backup power system 250 kVA with Deutz engine TCD 2013 L 06 4 V super  
soundproofed IG 200 and 500 liter tank**

**Completion:**

<b>Generating Set:</b>	<b>stationary</b>	<b>Gen Set:</b>	<b>silent Set</b>
<b>Technical Data Engine:</b>			
<b>Engine Manufacturer:</b>	Deutz	<b>Engine Type:</b>	TCD 2013 L06 4 V
<b>Engine No.:</b>	in Produktion	<b>Engine Power:</b>	250 KW
<b>Cooling:</b>	water-cooled	<b>Starting:</b>	electrical 24 V DC
<b>Rotation:</b>	1500 rpm	<b>Fuel:</b>	heating oil EN 590
<b>Technical Data Generator:</b>			
<b>Generator Manufacturer:</b>	Stamford AvK	<b>Gen Set:</b>	UCDI 274 K 1
<b>Gen No.:</b>	in Produktion	<b>Gen Power:</b>	250 kVA
<b>Voltage:</b>	400 / 231 Volt	<b>Power Factor:</b>	cos. - phi 0,8
<b>Rotation:</b>	1500 rpm		
<b>Control Unit:</b>			
<b>Setup:</b>	automatic start	<b>Functions:</b>	emergency power
<b>Switch:</b>	gen switch 4 pole	<b>Delivery:</b>	set up
<b>Width ca. mm:</b>		<b>Depth ca. mm:</b>	
<b>Height ca. mm:</b>			
<b>Tank</b>			
<b>Setup:</b>	Baseframe fuel Tank with Bassin	<b>Height ca. mm:</b>	
<b>Width ca. mm:</b>		<b>Capacity / Litre:</b>	500
<b>Depth ca. mm:</b>			
<b>Dimensions of unit:</b>			
<b>Length ca. mm:</b>	3.300	<b>Height ca. mm:</b>	2.150
<b>Width ca. mm:</b>	1.100	<b>Weigth ca. KG:</b>	2.600
<b>Usage:</b>			
<b>State:</b>	new	<b>year of manufacture:</b>	2023
<b>time of delivery:</b>	ex work	<b>Price plus VAT in 1/2:</b>	on request:
<b>Operating Hours:</b>	1		
<b>Location:</b>	Verl - Germany		
<b>Stock No:</b>		<b>Reserved:</b>	nein / no

**Delivery Contents:**

**Product Images**





