

**Emergency power unit as backup power system 250 kVA with Deutz engine TCD 2013 L 06 4 V super
soundproofed IG 200 and 500 liter tank**

Completion:

| | | | |
|----------------------------------|---------------------------------|-------------------------------|--------------------|
| Generating Set: | stationary | Gen Set: | silent Set |
| Technical Data Engine: | | | |
| Engine Manufacturer: | Deutz | Engine Type: | TCD 2013 L06 4 V |
| Engine No.: | in Produktion | Engine Power: | 250 KW |
| Cooling: | water-cooled | Starting: | electrical 24 V DC |
| Rotation: | 1500 rpm | Fuel: | heating oil EN 590 |
| Technical Data Generator: | | | |
| Generator Manufacturer: | Stamford AvK | Gen Set: | UCDI 274 K 1 |
| Gen No.: | in Produktion | Gen Power: | 250 kVA |
| Voltage: | 400 / 231 Volt | Power Factor: | cos. - phi 0,8 |
| Rotation: | 1500 rpm | | |
| Control Unit: | | | |
| Setup: | automatic start | Functions: | emergency power |
| Switch: | gen switch 4 pole | Delivery: | set up |
| Width ca. mm: | | Depth ca. mm: | |
| Height ca. mm: | | | |
| Tank | | | |
| Setup: | Baseframe fuel Tank with Bassin | Height ca. mm: | |
| Width ca. mm: | | Capacity / Litre: | 500 |
| Depth ca. mm: | | | |
| Dimensions of unit: | | | |
| Length ca. mm: | 3.300 | Height ca. mm: | 2.150 |
| Width ca. mm: | 1.100 | Weigth ca. KG: | 2.600 |
| Usage: | | | |
| State: | new | year of manufacture: | 2023 |
| time of delivery: | ex work | Price plus VAT in 1/2: | on request: |
| Operating Hours: | 1 | | |
| Location: | Verl - Germany | | |
| Stock No: | | Reserved: | nein / no |

Delivery Contents:

Product Images





